

## Message

**From:** Meyer, Cynthia [Meyer.Cynthia@epa.gov]  
**Sent:** 8/17/2020 9:45:23 PM  
**To:** Bair, Rita [bair.rita@epa.gov]  
**Subject:** RE: Centreville Control Correspondence - due August 25th

Ok thanks

---

**From:** Bair, Rita <bair.rita@epa.gov>  
**Sent:** Monday, August 17, 2020 4:17 PM  
**To:** Meyer, Cynthia <Meyer.Cynthia@epa.gov>  
**Subject:** RE: Centreville Control Correspondence - due August 25th

FYI – I am not sure if I will need you to do anymore follow-up, but the draft response is in the hyperlink below.

---

**From:** Bair, Rita  
**Sent:** Monday, August 17, 2020 2:31 PM  
**To:** Schaller, Andrea <schaller.andrea@epa.gov>  
**Cc:** Bauer, Candice <bauer.candice@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>  
**Subject:** RE: Centreville Control Correspondence - due August 25th

My suggested additions have been added to the file based on what we received from IEPA. Let me know if you need anything else.

---

**From:** Schaller, Andrea <schaller.andrea@epa.gov>  
**Sent:** Friday, August 14, 2020 2:21 PM  
**To:** Bair, Rita <bair.rita@epa.gov>  
**Cc:** Bauer, Candice <bauer.candice@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>  
**Subject:** FW: Centreville Control Correspondence - due August 25th

Rita

Can you take a look at the WD draft response and see if we can add more on drinking water based on Tera's observations below.

[https://usepa-my.sharepoint.com/:w:/g/personal/rosenberg\\_kathryn\\_epa\\_gov/EXH2-kmdH95D12F-5S-gAmkBBYsF2NiNetbt82x\\_8zhUMw?e=5Rb3hh](https://usepa-my.sharepoint.com/:w:/g/personal/rosenberg_kathryn_epa_gov/EXH2-kmdH95D12F-5S-gAmkBBYsF2NiNetbt82x_8zhUMw?e=5Rb3hh)

Andrea

---

**From:** Schaller, Andrea  
**Sent:** Friday, August 14, 2020 2:18 PM  
**To:** Fong, Tera <Fong.Tera@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Baltazar, Debbie <baltazar.debbie@epa.gov>  
**Cc:** Jann, Stephen <jann.stephen@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>  
**Subject:** RE: Centreville Control Correspondence - due August 25th

Thanks Tera

GWDW did provide information that the matter was referred to ILEPA. Will share your feedback with Rita to see if there are additional points but some of the issues may fall under WECAB's response.

Andrea

---

**From:** Fong, Tera <[Fong.Tera@epa.gov](mailto:Fong.Tera@epa.gov)>

**Sent:** Friday, August 14, 2020 2:12 PM

**To:** Rosenberg, Kathryn <[Rosenberg.Kathryn@epa.gov](mailto:Rosenberg.Kathryn@epa.gov)>; Baltazar, Debbie <[baltazar.debbie@epa.gov](mailto:baltazar.debbie@epa.gov)>

**Cc:** Schaller, Andrea <[schaller.andrea@epa.gov](mailto:schaller.andrea@epa.gov)>; Jann, Stephen <[jann.stephen@epa.gov](mailto:jann.stephen@epa.gov)>; Unger, LouAnn <[unger.louann@epa.gov](mailto:unger.louann@epa.gov)>

**Subject:** RE: Centreville Control Correspondence - due August 25th

Thanks very much. A couple edits included.

# Ex. 5 - Deliberative Process

Thanks very much for your help in putting these pieces together! When we're good with the letter from the WD end, I'll share back with TMPO and ECAD.

---

**From:** Rosenberg, Kathryn <[Rosenberg.Kathryn@epa.gov](mailto:Rosenberg.Kathryn@epa.gov)>

**Sent:** Friday, August 14, 2020 12:34 PM

**To:** Fong, Tera <[Fong.Tera@epa.gov](mailto:Fong.Tera@epa.gov)>; Baltazar, Debbie <[baltazar.debbie@epa.gov](mailto:baltazar.debbie@epa.gov)>

**Cc:** Schaller, Andrea <[schaller.andrea@epa.gov](mailto:schaller.andrea@epa.gov)>; Jann, Stephen <[jann.stephen@epa.gov](mailto:jann.stephen@epa.gov)>; Unger, LouAnn <[unger.louann@epa.gov](mailto:unger.louann@epa.gov)>

**Subject:** Centreville Control Correspondence - due August 25th

Please follow the link below to the draft response and accompanying documents for the Centreville Control, due August 25<sup>th</sup>.

[Centreville Control \(R5-20-000-6192-C\) DRAFT](#)

Thank you,

Katie Rosenberg

Permits Branch | USEPA-Region 5

77 W. Jackson Blvd, WP-16J

Chicago, IL 60604

[rosenberg.kathryn@epa.gov](mailto:rosenberg.kathryn@epa.gov) | 312-886-6774